



Laserliner®

SensoPilot Pro



Machine laser receiver for construction machine control

Rev 0109



In combination with a rotary laser, the SensoPilot serves as a continuous guide for height control.


- Each of its four laser receiver units, which measure 25 cm in length, can receive the laser beam in a 360° radius.
- Large clearly visible LEDs show the laser's level.
- Range 200 m.
- Highly durable waterproof and dust-proof housing with powerful magnets to fasten the device to the machine.
- Not suitable for green lasers.

Remote display for SensoPilot Pro

- The remote display allows the reference height to be viewed direct from the driver's cab of the construction machine. It therefore ideally supplements the SensoPilot laser receiver.
- Highly robust design with mounting base and waterproof and dustproof housing.
- With connection cable for SensoPilot.

TECHNICAL DATA

LASER RECEPTION RANGE	max. 200 m
PRECISION HIGH	$\pm 2 \text{ mm} - \pm 5 \text{ mm}$
PRECISION LOW	$\pm 5 \text{ mm} - \pm 15 \text{ mm}$
WORKING TEMPERATURE	-20°C – +50°C
POWER SUPPLY	Battery / laser 7,2 V NiMh / 2500 mA Batteryterminal 12/14 V
WATER AND DUST PROTECTION	IP 66
WEIGHT	3,4 kg
DIMENSIONS (W x H x D)	170 x 390 x 85 mm



Article no.: 035.00A

EAN-Code: 4 021563 658787

SensoPilot Pro
inclusive case
+ built-in battery
+ charger
+ 12/24 V battery cable



Magnetic

Optional:
Mounting Brackets

Optional:
Remote Display

OPTIONAL ACCESSOIRES

ARTICLE	ARTICLENUMBER	EAN-CODE	VE
Remote Display for SensoPilot	035.01	4 021563658800	1
Mounting Brackets, 2 pcs.	035.02	4 021563660452	1